

Refine Search

Search Results -

Term	Documents
(3 AND 8).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	12
(L8 AND L3).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	12

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L9

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Sunday, November 27, 2005 [Printable Copy](#) [Create Case](#)

Set Name **Query**
 side by side

Hit Count **Set Name**
 result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

<u>L9</u>	L8 and L3	12	<u>L9</u>
<u>L8</u>	L7 and spiral	1202	<u>L8</u>
<u>L7</u>	pulse with pair	50306	<u>L7</u>
<u>L6</u>	L5 and supress	0	<u>L6</u>
<u>L5</u>	L4 and (non-selective)	39	<u>L5</u>
<u>L4</u>	L3 and (RF adj pulse)	476	<u>L4</u>
<u>L3</u>	(slice with select with pulse)	609	<u>L3</u>
<u>L2</u>	L1 and (background) with (tissue or fat or blood)	5	<u>L2</u>
<u>L1</u>	Crush\$3 with (gradient with pulse)	105	<u>L1</u>

END OF SEARCH HISTORY

? d s

Set Items Description

S1 1910942 S MRI OR MAGNETIC(1W)(IMAG? OR IMAGING) OR MAGNETIC(W)RESONAN? OR NMR OR
NUCLEAR()MAGNETIC()RESONANCE OR FTNMR OR FTMRI
S2 178341 S MAGNETORESONANCE OR PMR OR PROTON(W)MAGNETIC(W)RESONAN? OR MR()(IMAGE? OR
IMAGING)
S3 7517 S MC=(S01-E02A2 OR S03-E07A OR S01-E02A8A OR S01-E02A1 OR S03-E07C OR S05-D02B1 OR
S03-C02F1)
S4 49039 IC=(G01N-024/08 OR G01V-003/A75 OR G01R-033/56F OR G01V-003/00) FROM 2, 155, 5, 6, 8, 73, 94,
35, 144, 105, 99, 58, 34, 434, 292, 89, 65, 360, 239, 347, 305, 350, 162, 164, 357, 315, 23, 46, 68, 60, 33, 335, 294
S5 22261 S CC=(A0758 OR A8760I OR B7510N)
S6 1984743 S S1:S5
S7 14621323 S SUPPRESS???? OR REPRESS???? OR RESTRAIN???? OR SUBDUE? OR REDUC????
S8 5406 S BACKGROUND(3N)TISSUE
S9 38813 S PULSE(3N)SEQUENC?
S10 6255 S SPIN(3N)(LOCK? OR SUPPRESS?)
S11 42102 S REGION(2N)INTEREST OR ROI? ?
S12 101 S S7(3N)S8
S13 3597 S S6 AND (S12 OR S10)
S14 49 S S6 AND S12
S15 10 S S14 AND (S9 OR S10 OR S11)
S16 3 RD (unique items)
S17 14 S S10 AND S11
S18 11 S S17 AND S6
S19 11 S S18 NOT S16
S20 6 RD (unique items)
S21 80244 S PULSE AND SEQUENCE?
S22 33 S S21 AND S1 AND S8
S23 31 S S22 NOT (S16 OR S20)
S24 18 RD (unique items)

? show files

[File 2] **INSPEC** 1969-2005/Sep W3

(c) 2005 Institution of Electrical Engineers. All rights reserved.

[File 155] **MEDLINE(R)** 1951-2005/Sep 26

(c) format only 2005 Dialog. All rights reserved.

[File 5] **Biosis Previews(R)** 1969-2005/Sep W3

(c) 2005 BIOSIS. All rights reserved.

[File 6] **NTIS** 1964-2005/Sep W3

(c) 2005 NTIS, Intl Cpyrght All Rights Res. All rights reserved.

[File 8] **Ei Compendex(R)** 1970-2005/Sep W2

(c) 2005 Elsevier Eng. Info. Inc. All rights reserved.

[File 73] **EMBASE** 1974-2005/Sep 26

(c) 2005 Elsevier Science B.V. All rights reserved.

[File 94] **JICST-EPlus** 1985-2005/Jul W5

(c)2005 Japan Science and Tech Corp(JST). All rights reserved.

[File 35] **Dissertation Abs Online** 1861-2005/Aug
(c) 2005 ProQuest Info&Learning. All rights reserved.

[File 144] **Pascal** 1973-2005/Sep W3
(c) 2005 INIST/CNRS. All rights reserved.

[File 105] **AESIS** 1851-2001/Jul
(c) 2001 Australian Mineral Foundation Inc. All rights reserved.
**File 105: This file is closed (no updates)*

[File 99] **Wilson Appl. Sci & Tech Abs** 1983-2005/Jul
(c) 2005 The HW Wilson Co. All rights reserved.

[File 58] **GeoArchive** 1974-2005/Jun
(c) 2005 Geosystems. All rights reserved.

[File 34] **SciSearch(R) Cited Ref Sci** 1990-2005/Sep W3
(c) 2005 Inst for Sci Info. All rights reserved.

[File 434] **SciSearch(R) Cited Ref Sci** 1974-1989/Dec
(c) 1998 Inst for Sci Info. All rights reserved.

[File 292] **GEOBASE(TM)** 1980-2005/Aug B1
(c) 2005 Elsevier Science Ltd. All rights reserved.

[File 89] **GeoRef** 1785-2005/Sep B1
(c) 2005 American Geological Institute. All rights reserved.
**File 89: Please see HELP ALERTALL for new Alert frequency and price. Please see HELP RATES 89 for new Academic Subscriber rates.*

[File 65] **Inside Conferences** 1993-2005/Sep W3
(c) 2005 BLDSC all rts. reserv. All rights reserved.

[File 360] **Specialty Chemicals Update Program** 2000/Q2
(c) 2000 SRI International. All rights reserved.
**File 360: Full fmts cost \$85.00 each for TYPEs, DISPLAYs, & PRINTs. Fmt 7 costs \$50.00. SCUP subscribers - use F960. Updating suspended.*

[File 239] **Mathsci** 1940-2005/Nov
(c) 2005 American Mathematical Society. All rights reserved.

[File 347] **JAPIO** Nov 1976-2005/Apr(Updated 050801)
(c) 2005 JPO & JAPIO. All rights reserved.

[File 305] **Analytical Abstracts** 1980-2005/Sep W1
(c) 2005 Royal Soc Chemistry. All rights reserved.
**File 305: Alert feature enhanced for multiple files, duplicate removal, customized scheduling. See HELP ALERT.*

[File 350] **Derwent WPIX** 1963-2005/UD,UM &UP=200561

(c) 2005 Thomson Derwent. All rights reserved.

**File 350: For more current information, include File 331 in your search. Enter HELP NEWS 331 for details.*

[File 162] **Global Health** 1983-2005/Aug

(c) 2005 CAB International. All rights reserved.

[File 164] **Allied & Complementary Medicine** 1984-2005/Sep

(c) 2005 BLHCIS. All rights reserved.

[File 357] **Derwent Biotech Res.** 1982-2005/Sep W4

(c) 2005 Thomson Derwent & ISI. All rights reserved.

[File 315] **ChemEng & Biotec Abs** 1970-2005/Aug

(c) 2005 DECHEMA. All rights reserved.

[File 23] **CSA Technology Research Database** 1963-2005/Sep

(c) 2005 CSA. All rights reserved.

[File 46] **Corrosion Abstracts** 1966-2005/Sep

(c) 2005 CSA. All rights reserved.

[File 68] **Solid State & Superconductivity Abstracts** 1966-2005/Sep

(c) 2005 CSA. All rights reserved.

[File 60] **ANTE: Abstracts in New Tech & Engineer** 1966-2005/Sep

(c) 2005 CSA. All rights reserved.

[File 33] **Aluminium Industry Abstracts** 1966-2005/Sep

(c) 2005 CSA. All rights reserved.

[File 335] **Ceramic Abstracts/World Ceramics Abstracts** 1966-2005/Sep

(c) 2005 CSA. All rights reserved.

[File 294] **ONTAP(R) SciSearch(R) Cited Ref Science**

(c) 1991 Inst for Sci Info. All rights reserved.

t 16/9/all

16/9/1 (Item 1 from file: 155) [Links](#)

Fulltext available through: [USPTO Full Text Retrieval Options](#)

MEDLINE(R)

(c) format only 2005 Dialog. All rights reserved.

12667597 PMID: 10587868

Breath-hold 3D MR angiography of the renal vasculature using a contrast-enhanced multiecho gradient-echo technique.

Papachristopoulos G; Bis K G; Shetty A N; Ross M; Bagga H; Shirkhoda A; Laub G

Department of Diagnostic Radiology, William Beaumont Hospital, Royal Oak, Michigan 48073, USA.

Investigative radiology (UNITED STATES) Dec 1999 , 34 (12) p731-8 , ISSN: 0020-9996 Journal Code: 0045377

Publishing Model Print

Document type: Clinical Trial; Journal Article; Randomized Controlled Trial

Languages: ENGLISH

Main Citation Owner: NLM

Record type: MEDLINE; Completed

Subfile: INDEX MEDICUS

OBJECTIVE: Significant evolution of contrast-enhanced MR angiography for evaluating vascular diseases in the abdomen has occurred during the past several years. The state-of-the-art gradient-echo imaging technique employs a short echo time (TE) and a short repetition time (TR) for rapid vascular imaging with contrast-enhanced MR angiography. However, because of the short TR ($\leq 3-8$ msec), the background stationary tissue becomes saturated, with resultant poor contrast resolution of visceral organs. The authors present a new approach to vascular imaging using a multiecho gradient-echo technique with a TR sufficiently long (41 msec) to image the renal vasculature and parenchyma without **background tissue suppression**. **METHODS:** Twenty-four partitions (3D slab thickness = 72 mm) with an in-plane resolution of 224 x 256 were obtained in 21 seconds. Three measurements were performed with an interscan delay of 8 seconds. In the **pulse sequence**, the partition loop is defined as the innermost loop, in which Kz views are acquired centrally for a fixed Ky, followed by Ky views in a conventional linear or sequential order. The partition encodings are segmented to permit multiple encodings in which two TR loops were used to span a total of 24 echoes with 12 along the positive and 12 along the negative direction in k space. A large bandwidth of 650 Hz/pixel was used to keep the echo train length short, with an echo spacing of 1.86 msec. A frequency-selective fat saturation pulse was placed before slab-selective excitation. The other parameters in the **pulse sequence** were TR/TE/flip = 41/2.2/45; the field of view was 360 to 390 mm. Maximum intensity projections of each 3D contrast-enhanced measurement were performed. The vascular-to-background contrast, bowel-related magnetic susceptibility artifact, and background stationary signals were subjectively graded. The authors examined the utility of this technique in 16 randomly selected patients (3 normal, 13 abnormal) with varied renal vasculature and parenchymal abnormalities. Results were confirmed with conventional x-ray angiography, surgery, or clinical follow-up. **RESULTS:** Vascular-to-background contrast was graded as very good (grade III/III) in all cases. The bowel-related magnetic susceptibility artifacts were not considered significant. **Background** visceral organ soft **tissue** contrast was not **suppressed** and was graded as good (grade III/III) in all cases. Eight hemodynamically significant ($> 50\%$ diameter) stenoses in seven patients were accurately assessed (one with fibromuscular dysplasia). Three patients with renal masses (two with renal cell carcinoma and one with renal lymphoma) were accurately assessed for arterial anatomy and venous extension. Other renal venous abnormalities seen were retroaortic renal vein (n = 1), chronic occlusion (n = 1), and accessories (total of five) (n = 1). **CONCLUSIONS:** Rapid breath-hold contrast-enhanced MR angiography of the renal vasculature with a multiecho gradient-echo using a long TR depicted the renal vasculature with high vessel-to-background contrast without

significant bowel-related susceptibility artifact and without **background** visceral organ **tissue** signal **suppression**, resulting in high **background** soft **tissue** contrast resolution.

Tags: Comparative Study; Research Support, Non-U.S. Gov't

Descriptors: *Carcinoma, Renal Cell--diagnosis--DI; *Contrast Media--administration and dosage--AD; *Heterocyclic Compounds--diagnostic use--DU; *Kidney Neoplasms --diagnosis--DI; *Lymphoma--diagnosis--DI; ***Magnetic Resonance** Angiography--methods--MT; *Organometallic Compounds --diagnostic use--DU; *Renal Artery--pathology--PA; *Renal Veins--pathology --PA ; Artifacts; Carcinoma, Renal Cell--blood supply--BS; Diagnosis, Differential ; Gadolinium--diagnostic use--DU; Heterocyclic Compounds--administration and dosage--AD; Humans; Kidney Neoplasms--blood supply--BS; Organometallic Compounds--administration and dosage--AD; Respiration

CAS Registry No.: 0 (Contrast Media); 0 (Heterocyclic Compounds); 0 (Organometallic Compounds); 112188-16-6 (gadoteridol); 7440-54-2 (Gadolinium)

Record Date Created: 19991229

Record Date Completed: 19991229

Refine Search

Search Results -

Term	Documents
BACKGROUND	3843807
BACKGROUNDS	13380
TISSUE	433667
TISSUES	210471
FAT	162703
FATS	92497
BLOOD	474481
BLOODS	1005
(1 AND (BACKGROUND WITH (FAT OR BLOOD OR TISSUE))) .PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	5
(L1 AND (BACKGROUND) WITH (TISSUE OR FAT OR BLOOD)) .PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	5

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L2

Refine Search

Recall Text



Clear

Interrupt

Search History

DATE: Sunday, November 27, 2005 [Printable Copy](#) [Create Case](#)

Set Name **Query**
 side by side

Hit Count **Set Name**
 result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

<u>L2</u>	L1 and (background) with (tissue or fat or blood)	5	<u>L2</u>
<u>L1</u>	Crush\$3 with (gradient with pulse)	105	<u>L1</u>